




# Ender-3 V2

## Promised Evolution Toward The Future of Printing



3 D P R I N T I N G  
I N D U S T R Y  
E V A N G E L I S T



Integrated compact design



Multiple improved upgrades



Ultra silent printing

Create Reality  
Achieve Dreams

### Product parameters

Machine size	475*470*620mm	Layer thickness	0.1-0.4mm
Print size	220*220*250mm	Filament	PLA/TPU/PETG
Molding technology	FDM	Supported OS	MAC/WindowsXP/7/8/10
Product weight	7.8kg	Slicer software	Simplify3d/Cura
Package weight	9.6kg	Print precision	±0.1mm
Hotbed temperature	≤100°	Filament diameter	1.75mm

### Product advantages



#### Exquisite Appearance Design

Classic appearance in integrated all-metal body inherited from its predecessor Ender-3, firm and stable



#### Integrated Structure Design

With integrated structure and modular design, the power supply is concealed in the machine, making it much safer



#### Carborundum Glass Platform

The Carborundum glass platform enables the hotbed heat up quicker and prints adhere better. Ultra smoothness even on the first layer



#### Self-developed Silent Motherboard

The self-developed silent motherboard always ensures smooth movement under 50dB, no noise during printing



#### New Injection Tensioner

The XY-axis tensioner supports adjusting the belt tension in a quick and more convenient way



#### Resume Printing Function

The machine can automatically resume printing after power-off or filament breakage. Less worries on print failure



#### New User Interface

User experience greatly upgrades with the newly designed operation UI system, simple and quick to operate



#### Effortless Filament Feed-in

Rotary knob added on the extruder makes it easier to load and feed filament



#### Smart add-ons

With the tool box integrated to the machine body, it is more convenient and quicker for tools organization and storage

